

FORM PTO-1390 (REV 11-98)	U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE	ATTORNEY'S DOCKET NUMBER <b>36-1377</b>
<b>TRANSMITTAL LETTER TO THE UNITED STATES DESIGNATED/ELECTED OFFICE (DO/EO/US) CONCERNING A FILING UNDER 35 U.S.C. 371</b>		U.S. APPLICATION NO. (If known, see 37 C.F.R. 1.5) <b>09/647711</b> <small>UNKNOWN</small>
INTERNATIONAL APPLICATION NO. <b>PCT/GB99/01278</b>	INTERNATIONAL FILING DATE <b>23 April 1999</b>	PRIORITY DATE CLAIMED <b>27 April 1998 and 4 September 1998</b>
TITLE OF INVENTION <b>DATABASE ACCESS TOOL</b>		
APPLICANT(S) FOR DO/EO/US <b>CORLEY et al</b>		
Applicant herewith submits to the United States Designated/Elected Office (DO/EO/US) the following items and other information:		
1. <input checked="" type="checkbox"/> This is a <b>FIRST</b> submission of items concerning a filing under 35 U.S.C. 371. 2. <input type="checkbox"/> This is a <b>SECOND</b> or <b>SUBSEQUENT</b> submission of items concerning a filing under 35 U.S.C. 371. 3. <input checked="" type="checkbox"/> This is an express request to begin national examination procedures (35 U.S.C. 371(f)) at any time rather than delay examination until the expiration of the applicable time limit set in 35 U.S.C. 371(b) and PCT Articles 22 and 39(1). 4. <input checked="" type="checkbox"/> A proper Demand for International Preliminary Examination was made by the 19 <sup>th</sup> month from the earliest claimed priority date. 5. A copy of the International Application as filed (35 U.S.C. 371(c)(2)). a. <input checked="" type="checkbox"/> is transmitted herewith (required only if not transmitted by the International Bureau). b. <input checked="" type="checkbox"/> has been transmitted by the International Bureau. c. <input type="checkbox"/> is not required, as the application was filed in the United States Receiving Office (RO/US). 6. <input type="checkbox"/> A translation of the International Application into English (35 U.S.C. 371(c)(2)). 7. <input type="checkbox"/> Amendments to the claims of the International Application under PCT Article 19 (35 U.S.C. 371(c)(3)). a. <input type="checkbox"/> are transmitted herewith (required only if not transmitted by the International Bureau). b. <input type="checkbox"/> have been transmitted by the International Bureau. c. <input type="checkbox"/> have not been made; however, the time limit for making such amendments has <b>NOT</b> expired. d. <input type="checkbox"/> have not been made and will not be made. 8. <input type="checkbox"/> A translation of the amendments to the claims under PCT Article 19 (U.S.C. 371(c)(3)). 9. <input checked="" type="checkbox"/> An oath or declaration of the inventor(s) (35 U.S.C. 371(c)(4)). 10. <input type="checkbox"/> A translation of the annexes to the International Preliminary Examination Report under PCT Article 36 (35 U.S.C. 371(c)(5)). <b>Items 11. To 16. Below concern document(s) or information included:</b> 11. <input type="checkbox"/> An Information Disclosure Statement under 37 C.F.R. 1.97 and 1.98. 12. <input checked="" type="checkbox"/> An assignment document for recording. A separate cover sheet in compliance with 37 C.F.R. 3.28 and 3.31 is included. 13. <input checked="" type="checkbox"/> A <b>FIRST</b> preliminary amendment. <input type="checkbox"/> A <b>SECOND</b> or <b>SUBSEQUENT</b> preliminary amendment. 14. <input type="checkbox"/> A substitute specification. 15. <input type="checkbox"/> A change of power of attorney and/or address letter. 16. <input type="checkbox"/> Other items or information.		

U.S. APPLICATION NO. (if known, see 37 C.F.R. 1.5)		INTERNATIONAL APPLICATION NO.		ATTORNEY'S DOCKET NUMBER	
Unknown 647711		PCT/GB99/01278		36-1377	
17. <input checked="" type="checkbox"/> The following fees are submitted:				<b>CALCULATIONS</b> PTO USE ONLY	
<b>BASIC NATIONAL FEE (37 C.F.R. 1.492(a)(1)-(5):</b>					
-- Neither international preliminary examination fee (37 C.F.R. 1.482) nor international search fee (37 C.F.R. 1.445(a)(2)) paid to USPTO and International Search Report not prepared by the EPO or JPO.....				\$1000.00	
-- International preliminary examination fee (37 C.F.R. 1.482) not paid to USPTO but International Search Report prepared by the EPO or JPO.....				\$860.00	
-- International preliminary examination fee (37 C.F.R. 1.482) not paid to USPTO but international search fee (37 C.F.R. 1.445(a)(2)) paid to USPTO.....				\$710.00	
-- International preliminary examination fee paid to USPTO (37 C.F.R. 1.482) but all claims did not satisfy provisions of PCT Article 33(1)-(4).....				\$690.00	
-- International preliminary examination fee paid to USPTO (37 C.F.R. 1.482) and all claims satisfied provisions of PCT Article 33(1)-(4).....				\$100.00	
<b>ENTER APPROPRIATE BASIC FEE AMOUNT =</b>				\$ 860.00	
Surcharge of \$130.00 for furnishing the oath or declaration later than <input type="checkbox"/> 20 <input type="checkbox"/> 30 months from the earliest claimed priority date (37 C.F.R. 1.492(e)).				\$ 0.00	
CLAIMS	NUMBER FILED	NUMBER EXTRA	RATE		
Total Claims	5	-20 =	0	X	\$18.00
Independent Claims	1	-3 =	0	X	\$80.00
MULTIPLE DEPENDENT CLAIMS(S) (if applicable)				\$270.00	
<b>TOTAL OF ABOVE CALCULATIONS =</b>				<b>\$ 860.00</b>	
Reduction by 1/2 for filing by small entity, if applicable. A Small Entity Statement must also be filed (Note 37 C.F.R. 1.9, 1.27, 1.28).				0.00	
<b>SUBTOTAL =</b>				<b>\$ 860.00</b>	
Processing fee of \$130.00, for furnishing the English Translation later than <input type="checkbox"/> 20 <input type="checkbox"/> 30 months from the earliest claimed priority date (37 C.F.R. 1.492(f)).				0.00	
<b>TOTAL NATIONAL FEE =</b>				<b>\$ 860.00</b>	
Fee for recording the enclosed assignment (37 C.F.R. 1.21(h)). The assignment must be accompanied by an appropriate cover sheet (37 C.F.R. 3.28, 3.31). \$40.00 per property +				\$ 40.00	
Fee for Petition to Revive Unintentionally Abandoned Application (\$1240.00 - Small Entity = \$620.00)				\$ 0.00	
<b>TOTAL FEES ENCLOSED =</b>				<b>\$ 900.00</b>	
				Amount to be: refunded \$	
				Charged \$	
<p><input checked="" type="checkbox"/> A check in the amount of \$900.00 to cover the above fees is enclosed.</p> <p><input type="checkbox"/> Please charge my Deposit Account No. 14-1140 in the amount of \$_____ to cover the above fees. A duplicate copy of this form is enclosed.</p> <p><input checked="" type="checkbox"/> The Commissioner is hereby authorized to charge any additional fees which may be required, or credit any overpayment to Deposit Account No. 14-1140. A duplicate copy of this form is enclosed.</p> <p><input checked="" type="checkbox"/> The entire content of the foreign application(s), referred to in this application is/are hereby incorporated by reference in this application.</p>					
<p><b>NOTE:</b> Where an appropriate time limit under 37 C.F.R. 1.494 or 1.495 has not been met, a petition to revive (37 C.F.R. 1.137(a) or (b)) must be filed and granted to restore the application to pending status.</p>					
<p><b>SEND ALL CORRESPONDENCE TO:</b></p> <p>NIXON &amp; VANDERHYE P.C. 1100 North Glebe Road, 8<sup>th</sup> Floor Arlington, Virginia 22201 Telephone: (703) 816-4000</p>					
<p><i>Larry S. Nixon</i> SIGNATURE</p>					
<p><b>Larry S. Nixon</b> NAME</p>					
<p><b>25,640</b> <b>October 4, 2000</b> REGISTRATION NUMBER Date</p>					

## IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Patent Application of

**CORLEY et al**Atty. Ref.: **36-1377**Serial No. **Unknown**

Group:

National Phase of **PCT/GB99/01278**Filed: **October 4, 2000**

Examiner:

For: **DATABASE ACCESS TOOL**

\* \* \* \* \*

**October 4, 2000**Assistant Commissioner for Patents  
Washington, DC 20231

Sir:

**PRELIMINARY AMENDMENT**

Prior to calculation of the filing fee and in order to place the above identified application in better condition for examination, please amend the claims as follows:

**IN THE CLAIMS**

Claim 4, line 1, delete "Claims 2 or 3" and insert -- Claim 2 --.

Claim 5, line 1, delete "any preceding" and after "claim" insert -- 1 --.


**REMARKS**

The above amendments are made to place the claims in a more traditional format.

Respectfully submitted,

**NIXON & VANDERHYE P.C.**

By:

**Larry S. Nixon**Reg. No. **25,640****LSN:Imy**1100 North Glebe Road, 8th Floor  
Arlington, VA 22201-4714  
Telephone: (703) 816-4000  
Facsimile: (703) 816-4100

5/PRTS

DATABASE ACCESS TOOL

The present invention relates to querying databases.

Databases can be very large and complex. An example is the marketing  
5 domain. This domain is characterised by very large databases containing many  
Gigabytes of customer related information. Many different types of users can need to  
query a database. In large businesses, there are usually many roles associated with  
accessing data.. These roles include people who specify queries, those that test  
them, tuners who carry out optimisation and then those who execute the queries.

10 Queries to such databases need to be carefully structured and query  
languages have developed, such as Structured Query Language (SQL). The SQL  
language consists of a set of facilities for defining, manipulating and controlling data in  
a relational database. SQL, pronounced Sequel, was originally an abbreviation for  
Structured Query Language. SQL is essentially two languages, a data definition  
15 language (DDL), for declaring structures and integrity constraints of SQL databases,  
and a data manipulation language (DML), for declaring the database procedures and  
executable statements of a specific database application program. It is both a formal  
standard and an industry standard. SQL was formally "standardised" by the American  
National Standards Institute (ANSI) in 1986 as ANS X3.135.1986 (normally known as  
20 SQL86.) The ANSI SQL standard was fully adopted by ISO in 1987 as IS 9075:1987.

SQL remains complex and the creation of a database query for a database of  
any complexity is still a specialist and often time consuming activity.

According to embodiments of the present invention, there is provided:

- (i) means for constructing database queries;

- (ii) a query store for storing database queries;
- (iii) a search tool for searching the query store against a constructed query; and
- (iv) query submission means for selecting between a constructed query and a query located against it by the search tool, and for submitting the selected query to a database.

Corporate databases are continually increasing in size and complexity. Over a period of time many queries will be submitted to these databases often repeating what was asked previously. Each query that is created incorporates implicitly some knowledge which could be useful for future similar queries. It has been recognised in making the present invention that it is possible to make this knowledge widely available across a community of users, for instance across a company.

Embodiments of the present invention make it possible not only to exploit a corporate database query knowledge but also to control queries submitted to large data repositories. That is, the combination of the query store and the means for constructing database queries allows structure to be imposed on new queries as well as allowing reuse of previous queries.

Advantageously, the query store and search tool use case based reasoning (CBR) principles and the means for constructing database queries does so to create a query as a case. This can be used to impose structure to be imposed on new queries.

CBR is a known technique which uses previous cases of problems and their solutions to solve new problems. A relevant publication is "Case-Based Reasoning: Experiences, Lessons and Future Directions" edited by D Leake and published in 1996 by AAAI Press, Menlo Park.

Embodiments of the present invention are particularly intended for use with structured query languages such as SQL. Intelligent query management according to embodiments of the present invention can then support a wide range of users with varying skill levels, from the complete SQL novice to the SQL expert, and can do it efficiently and effectively. Using a case-based approach, consistent and best practices can be encouraged across the organisation. Not only can the system itself improve over time as new cases are added but also the users' skill levels will increase due to inherent 'training' characteristics of the CBR systems. Furthermore, because experience is being captured the organisation will tend to be less vulnerable to the skill-loss effects of staff turnover.

From a technical viewpoint, CBR has also been found particularly appropriate. SQL has a well-defined and reasonably limited basic structure. This structure can be easily mapped into a case structure. For a target user base such as marketing, the requirements are often in the form of free-text. The natural language and text matching capabilities commonly found in CBR packages are therefore extremely useful.

In addition to storing a query, the results of the query can be stored. Preferably, therefore, embodiments of the present invention further provide a query results store and means for searching it. If a newly constructed query is identical or similar to a query already stored in the query store, then it may be that existing results can be used and neither the new query nor the stored query need be submitted. This saves precious central processing time in the database (Of course, if the stored results are too old then it may still be necessary for one of the queries to be selected and submitted in order to get fresh results). Preferably, the query store is provided in a cache.

A query construction tool will now be described as an embodiment of the present invention, by way of example only, with reference to the following figures, in which:

Figure 1 shows schematically the context in which the query construction tool sits in  
5 use;

Figure 2 shows the components of the query construction tool of Figure 1;

Figure 3 shows a flow chart of the overall process provided by the query construction tool; and

Figures 4, 5 and 6 show examples of user interface states presented to a user in use  
10 of the query construction tool.

Referring to Figure 1, the query construction tool 100 can be installed on processing capacity on any platform capable of supporting it. In this embodiment, the tool 100 is installed on a server 105 connected to a local area network (LAN) 110. Users have access from client workstations 115 which may be personal computers or  
15 may for instance primarily provide processing and interface capacity for running software processes normally installed elsewhere.

In order to support the tool 100, it is necessary to install an environment on the server 105 which supports case-based reasoning. An environment which was found particularly suited was ART\*Enterprise provided by Brightware Inc. Information on this  
20 environment can be obtained from the Brightware Inc. Website on the Internet located at "http://www.Brightware.com/www\_home.html". The environment was chosen because of its flexible CBR facilities integrated seamlessly with rule based and object oriented capabilities. Another important feature was its ability to create case-bases from existing data sources in various formats including Oracle, Dbase4, Excel and

Access. The environment also provides user interface construction facilities which allow demonstrations to be built quickly.

Other CBR environments could however be used in place of ART\*Enterprise, such as Inference. Inference however is not particularly well-suited. Inference is  
5 structured more for a "Help Desk " scenario and would require a lot of questions to be answered automatically, within the tool itself, in order to be useful. Also, Inference does not support direct access to existing Oracle data sources.

The server 105 is connected via the LAN 110 to the Internet 125 and can therefore be accessed by users over the Internet. Otherwise, users can use a LAN  
10 connection or a local connection to the server 105. The user's workstation 115 needs to be able to support an ART\*Enterprise client and the processing capability of at least a 486 processor is probably required for reasonable performance.

A database 120 which the tool 100 is used to submit queries to may be remote to the server 105, for instance accessible via the LAN 110, or could be local to the  
15 server 105, even for instance actually installed on the server 105.

The tool 100 comprises data as well as processing logic, the data being stored in a query store 130 and a results store 135. These stores may be external to the tool 100 or built into it. Such choices are well known to the person skilled in the art and are not further discussed herein.

Referring to Figure 2, in the same way it is not necessary that the database  
20 120 to be queried should be sited as shown in Figure 1. As in distributed environments generally, it does not necessarily matter to a great extent where data is stored, as long as there is capacity and access and it may be preferable to site the database 120 to be queried on the server 105, together with the query construction  
25 tool 100.



The primary functional blocks of the query construction tool 100 are a query generator 200, results presentation 205 and management information processing 210. In support of the management information processing 210, there is also provided a behaviour database 230 which maintains count information with respect to queries in the query store 130.

#### Overview Of CBR-Based Querying Process.

In general, a user can use the query generator 200 to construct a new query and submit it to the query casebase 130 as a "case" in CBR terms. If there are similar queries already in the casebase 130, they will be returned to the user workstation 115 where the user can select either to use their constructed query or an existing query. The selected query is then submitted to the main database 120. Results are returned to the user workstation 115 via the results presentation capability 205.

Alternatively, where there was an existing query, there may already be results stored in the results store 135. The user may choose not to submit either their constructed query or the existing query but just to view the stored results.

The user can start from nothing or use an existing query as the basis for describing the requirements for a new query. Once the user is happy with the description of a query they have constructed, then a case-based search of the casebase 130 is used to find existing queries which may meet their requirements. Any of the returned queries can be selected and browsed. If the results for a particular query exist they will have been stored in the results database 135 and the user may view them immediately. Alternatively the user may re-submit that query with or without modification. If a new query is sufficiently different from those stored in the past then it is added automatically to the casebase 130, whether it was constructed entirely from scratch or is an amended version of an existing query.

The count information maintained by the management information processing capability 210 in the behaviour database 230 can later be used to review usage patterns with respect to the query database 130 and the stored results database 135. In particular, there are three counts, these being "select" which increments when a query in the case base 130 is selected, "view" which is incremented when results stored in the stored results database 135 are accessed and "refresh" which is incremented when stored results in the stored results database 135 are updated.

Referring to Figure 3, the querying process may be as follows:

**STEP 300:** using the query generator 200, the user enters text description and/or any known SQL code to relevant fields of a query generator window to construct a query to present to the system. The entries made by the user constitute a case which can be searched against for matches in the casebase database 130. The tool can also construct a standard format SQL query to submit to the main database 120 from the entries made by the user simply by building the SQL query from the appropriate entries.

**STEP 305:** a case-based search is done against the presented query in the query casebase 130 and the most closely matching queries stored in the casebase 130 are returned.

**STEP 310:** queries stored in the casebase 130 carry an indicator in a "RESULTS-EXIST" field where the query has previously been run and there are results in the results database 135. At **STEP 310**, a check is made for each closely matching query which has been returned from the casebase 130 at **STEP 305** as to whether such results are already stored.

**STEP 315:** it may be that no closely matching queries were returned at **STEP 305**. In this case the user may want to start again, particularly if they are inexperienced and

need to run an existing query or need to have an existing query to modify so as to create a new query. The user is therefore offered the chance to start again at STEP 300, in which case the inexperienced user will probably try again to construct a new query that will bring an existing query at STEP 305. However, the experienced user  
5 may opt to proceed with the query they created at STEP 300 or to base the query on a less closely matching query or even a dissimilar query found at STEP 305. This user will then be transferred to STEP 325 below and offered the opportunity to edit their query before submission to the main database 120.

STEP 320: if results were located at STEP 310, being already stored for a closely  
10 matching query, the user is offered the opportunity to have them downloaded.

STEP 330: if the user selects to view the existing results, the closely matching query is submitted to the stored results database 135 and the results are downloaded to the user.

STEP 325: if the user selects not to view existing results at STEP 320 for the closely  
15 matching query, the user is offered an opportunity to edit the closely matching query before moving to STEP 330, this time to submit the query to the main database 120. (If the user has not edited the closely matching query, this will simply have the effect of updating the search results for that query.)

STEP 335: any query which has been submitted to the main database 120 is  
20 reviewed in case it constitutes a new query. This is taken to be the case whenever the query submitted has less than a certain similarity threshold with any stored query in the casebase 130. This may be the situation for instance where the user has edited a closely matching query before submission to the main database 120.

STEP 345: new queries are automatically loaded to the casebase 130.

STEP 340: results from STEP 330 are returned to the user.

It can be seen from STEP 330 above that submission of a query to the stored results database 135 and the main database 120 can be treated similarly. In each case, the query being submitted is a SQL query. It is convenient that the stored results database 135 is located with the main database, simply being partitioned therefrom. That is, the stored results database 135 is built in table format and embedded in the main database 120.

Referring to Figures 2 and 3, it has been found convenient that, once the user has defined a query for submission to the main database 120, a results window 205 is presented to the user and the query is submitted directly to the main database 120 from the results window 205.

### Other Capabilities

In addition to the basic capabilities outlined above the following are provided:

- 15 • The user can choose to view a list of the five most frequently used queries. The user can select one of these to run directly or to use as the basis of a new query,
- The user can be presented with meta-data associated with an existing query. Meta-data is a known term for information associated with data, other than the data itself. The meta-data in this case includes for instance the original author, the date, query execution time, whether the results exist and if so, an identifier and size,
- 20 • The user has the option to run a subsequent query on the results returned or previously stored,
- The user has the option of updating the stored results database 135 with the results of rerunning an existing query.
- 25

## Case Structure, Matching and Retrieval

A major part of embodiments of the present invention is the definition of a case based on a SQL query. To define each case for the case base 130, a basic SQL statement is broken down by its structure, and parts of that structure are then used as  
5 fields for a case in the case base 130.

CBR matches cases against each other and different weights can be given to matches between different fields in a case. For instance, a field might be the "from clause" of a SQL query which determines which databases, or sections of databases, are to be searched. This might be given particularly high weighting so that a SQL  
10 query will only be selected as a similar query and offered to the user if it looks at the same tables of a database.

The structure of the cases is described in Table 1 below.

Feature	Match Type	Match Weight	Mis-match Weight
NOTES	Word	20	0
SELECT-CLAUSE	Word	25	0
FROM-CLAUSE	Character	45	0
WHERE-CLAUSE	Character	10	0
GROUP-BY-CLAUSE	Word	5	0
HAVING-CLAUSE	Word	1	0
ORDER-BY-CLAUSE	Word	1	0
ROWS_SELECTED	#	#	#
QUERY_TIME	#	#	#
CREATOR	#	#	#
RESULTS_EXIST	#	#	#
RESULTS_REF	#	#	#
DATE_CREATED	#	#	#

15 Table 1. Case Structure

The NOTES feature is free text describing the data that should be returned from the query to be written. The main features are then those that correspond to the structure of a simple SQL query. The items in *italics* are the meta-data. This is additional information which may have an impact on the user's final choice but is not part of the casebase index. In addition each case has a unique identifier (not shown in the table).

The choice of match types and weights is optional. In the example of Table 1, they are based on knowledge about the domain of SQL querying and initial experimentation. For example, the most important feature is the FROM-CLAU**SE** because this determines the specific tables from which the data will be retrieved. It will be of "character" type because of the manner of identifying tables in the database 120 to be searched. In this particular example, queries are not penalised for not matching against a feature value and therefore all mis-match weights are zero.

An example case is as follows:

Feature	Value
NOTES	Top ten business for ISDN2
SELECT-CLAU <b>SE</b>	distinct ( <i>a.local_number</i> ) , tally, direction, position, <i>s.site_number</i> , business_name
FROM-CLAU <b>SE</b>	CCBA_ISDN_2 <i>a</i> , sites <i>s</i>
WHERE-CLAU <b>SE</b>	<i>a.site_number</i> = <i>s.site_number</i> and position <= 10
GROUP-BY-CLAU <b>SE</b>	(empty)

HAVING-CLAUSE	(empty)
ORDER-BY	(empty)
ROWS-SELECTED	10
QUERY-TIME	00:00:03
CREATOR	RTS
RESULTS-EXIST	YES
RESULTS-REF	TOPTENPROD
DATE-CREATED	2-Feb 98 16:00

Table 2. Example Case

Table 2 shows the fields of a SQL query to locate the top ten communications sites generating traffic on ISDN2 lines (Integrated Services Digital Network lines based on the capacity of two conventional speech telephony lines).

- 5 The matching process between queries is a straight forward use of CBR and applies the in-built capabilities of the environment as described in ART\*Enterprise Brightware Inc, 1996, *ARTScript Programming Guide 3, Rules & CBR*. Each feature is compared and scored according to its type: *string*; *word*; and *character*. These are combined taking into account the weights to give an overall feature score, or similarity
- 10 score, for the case. A threshold of 0.4 is set above which a case must score to be retrieved. (The feature score can also be used to determine automatically when a query is sufficiently different from stored queries to be added to the casebase database 130. In these circumstances, a score of less than 0.4 means that the query will be added to the casebase database 130.) The maximum number of cases
- 15 retrieved is set to 10. These values are arbitrary but have been found to be convenient. Other values may be preferred for instance where an embodiment of the invention is applied to quite a different domain or for a different purpose.

The feature score for numeral matching is generated in a known manner, as follows:

$$feature - score_{f,i} = mw_{f,i} - \frac{|cv_{f,i} - pcv_{f,i}|}{mdev_{f,i}}(mw_{f,i} - mmw_{f,i})$$

where:

$mw_{f,i}$  is the match weight of feature  $f$  for case  $i$ ;

$mmw_{f,i}$  is the mismatch weight of feature  $f$  for case  $i$ ;

5  $mdev_{f,i}$  is the match deviation of feature  $f$  of case  $i$ ;

$cv_{f,i}$  is the numeric value for feature  $f$  of case  $i$ ; and

$pcv_{f,i}$  is the numeric value for feature  $f$  of the presented case.

The feature score for text matching is generated in known manner. The formula is as  
10 follows:

$$feature - score_{f,i} = mmw_{f,i} + \frac{msf_{f,i}}{tsf_f}(mw_{f,i} - mmw_{f,i})$$

where:

$mmw_{f,i}$  is the match weight of feature  $f$  for case  $i$ ;

15  $mw_{f,i}$  is the mismatch weight of feature  $f$  for case  $i$ ; and

$msf_{f,i}$  is the number of matching sub-features of feature  $f$  for case  $i$ .

Domain specific aliases (i.e. different words which have the same or similar meaning) may be taken into account during this calculation. The result is that the quality of the  
20 text matching is improved because the algorithm matches on meaning (semantics) rather than raw text (syntax). Typically, this is achieved by replacing each word by a symbol as determined by reference to a thesaurus that maps different words having the same meaning for a given domain to the same symbol. Data storage can be allocated to provide means for storing the thesaurus. The thesaurus functionality may  
25 be provided by a knowledge base (not shown) which includes domain specific knowledge and means for mapping that knowledge to non-domain specific knowledge.

A number of data areas are defined for embodiments of the present invention:

- 30 • Database 120

The location of the data on which the queries will be run



- Query Casebase 130

The casebase containing the past queries

- Stored Results 135

The data sets returned by the past queries

5 • Behaviour Database 230

The functions of most of these have been discussed above. The behaviour database 230 however stores the values of counters which record the usage of each case. The counters are; (i) 'Select', which increments when a query is selected, (ii) 'View', which  
10 increments when the stored results are accessed and, (iii) 'Refresh', which increments if stored results are updated.

Each count can be provided as a field associated with a result in the results database 135 or with a query in the case base 130. Each time a count is incremented, it is incremented by updating the count field. Management information  
15 can then be presented by searching the results database 135 and/or the query case base 130 to locate results or queries with count fields putting them above a selected threshold, such as in the top five or top ten of the whole database 135, 130 in each case. However, as shown, the counts are maintained in an additional data store, the behaviour database 230, where queries or results can be associated with their  
20 relevant count by their position in an array or by being allocated respective identifiers against which the counts are maintained.

One way of designing the behaviour database 230 is to structure the count data as cases. It can then be searched by running a dummy case in which all the counters are set to maximum and searching for a selected number of most closely  
25 matching cases, such as the "Top 5" cases. That is, a case match is done just on the count fields.

Figures 4 to 6 show the three main windows presented to the user in various statuses of the casebased query construction tool 100.

Referring to Figure 4, the Top 5 Queries window 410 shows the most 'popular' queries based on their usage as defined by the values of the counters of the behaviour database 230. This window is one of several windows that might be presented to the user for accessing the behaviour database 230. The user can select a query listed on the Top 5 Queries window 210 to submit directly to the main database 120, to use as a presentation case (optionally modified) for a CBR search, or to modify and submit i.e. as input to STEP 300.

Referring to Figure 5, the Query Generator window 400 is the main search and construction window. The user enters descriptive values into the fields (not shown) associated with each feature. At any time the user can present the query to the casebase 130 or send the query for submission to the main database 120. Buttons present on the window are;

- TOP 5: the function attached to this button causes the Top 5 window to appear
- SEARCH: this function invokes a casebase match and retrieval. The results of the search appear in the drop-down-list-box at the top of the window.
- CLEAR: clears the entries in the fields
- ALTER CASE: allows the user to modify the contents of a case
- CANCEL: closes the window
- SUBMIT: executes the SQL in the window, after checking the validity of the code. If the SQL submitted is sufficiently dissimilar from any contained within the casebase 130 then a new case is created automatically without the user knowing. The returned results are presented in the Results window.

Referring to Figure 6, the Results window 405 displays the final SQL 600 as generated from the Query Generator window and the returned results 605. The SQL can be modified and resubmitted directly from this window 405 allowing a follow-up query on previously returned results.

- 5 (A window which is not shown here is the database login window. This is of standard type however.)

- In embodiments of the present invention in use, the user may enter values for as many case features as required. If just the notes feature is specified then queries can be found without any knowledge of SQL or the database schema. This allows
- 10 complete SQL novices to retrieve queries. Of course, it may be that unless an exact match is found then such a complete novice will not be able to proceed because modifications to the query would be required. Whether this is a problem depends upon the circumstances. It could be imagined that the novices would deal with straightforward queries and pass those that needed changes to more senior users.
- 15 Improvements which the person skilled in the art might wish to make for a particular use of embodiments of the present invention are as follows:
- Tuning of the choice of feature match types and weights;
  - Inclusion of a full domain specific thesaurus to cope with aliases within and across databases;
  - 20 • Development of use of the meta data, for example, prediction of query times or deriving a 'cost' metric for the query. Such development is discussed in a paper by Liu, L., Pu, C. 1997, entitled *A Metadata Based Approach to Improving Query Responsiveness*, (<http://computer.org/conferen/proceed/meta97/papers/liu/lingliu-full.html>);
  - 25 • Techniques for supporting time/resource constrained queries;

- Long term management of the casebase, including policies for the creation, deletion and indexing of cases;
  - Making use of other types of meta-data such as information in the schema of the database being queried;
- 5 • Making more use of the behaviour data, for example, to monitor user skill/familiarity levels for intelligent allocation of query requests, or to detect trends across users at different times of the year to plan resources optimally; and
- Acceptable ways of obtaining user feedback on how useful the query was. It is known that users become frustrated when continually forced to enter supplementary
- 10 information not directly relevant to achieving their task at hand.

## CLAIMS

1. A database access tool comprising:
- i) means for constructing database queries;
  - 5 ii) a query store for storing database queries;
  - iii) a search tool for searching the query store against a constructed query; and
  - iv) query submission means for selecting between a constructed query and a query located against it by the search tool, and for submitting the selected query to a database.
- 10
2. A tool according to Claim 1 wherein the means for constructing database queries comprises user input means for loading data to at least one data field in a database query and the search tool comprises means to calculate a similarity factor between data fields in database queries stored in the query
- 15 store and at least one data field in a newly constructed database query.
3. A tool according to Claim 2 wherein the query store and the search tool are constructed according to use of case based reasoning (CBR) and the means for constructing database queries does so to construct a query as a case.
- 20
4. A tool according to Claims 2 or 3 wherein management information data is collected in use of the tool to submit queries to the database, the tool further comprising means for collecting said management information, structuring the management information for a respective query in the same manner as a

database query constructed by the tool and loading the structured management information to a management information data store, said management information data store being searchable by means of the search tool.

5

5. A database access tool according to any preceding claim, further comprising a data store for storing results associated with previous database queries and wherein the search tool is further operable, when a located query is identical or similar to the constructed query, to return the results stored in the data store that are associated with the located query.

10

11  
12  
13  
14  
15  
16  
17  
18  
19  
20  
21  
22  
23  
24  
25  
26  
27  
28  
29  
30  
31  
32  
33  
34  
35  
36  
37  
38  
39  
40  
41  
42  
43  
44  
45  
46  
47  
48  
49  
50  
51  
52  
53  
54  
55  
56  
57  
58  
59  
60  
61  
62  
63  
64  
65  
66  
67  
68  
69  
70  
71  
72  
73  
74  
75  
76  
77  
78  
79  
80  
81  
82  
83  
84  
85  
86  
87  
88  
89  
90  
91  
92  
93  
94  
95  
96  
97  
98  
99  
100  
101  
102  
103  
104  
105  
106  
107  
108  
109  
110  
111  
112  
113  
114  
115  
116  
117  
118  
119  
120  
121  
122  
123  
124  
125  
126  
127  
128  
129  
130  
131  
132  
133  
134  
135  
136  
137  
138  
139  
140  
141  
142  
143  
144  
145  
146  
147  
148  
149  
150  
151  
152  
153  
154  
155  
156  
157  
158  
159  
160  
161  
162  
163  
164  
165  
166  
167  
168  
169  
170  
171  
172  
173  
174  
175  
176  
177  
178  
179  
180  
181  
182  
183  
184  
185  
186  
187  
188  
189  
190  
191  
192  
193  
194  
195  
196  
197  
198  
199  
200  
201  
202  
203  
204  
205  
206  
207  
208  
209  
210  
211  
212  
213  
214  
215  
216  
217  
218  
219  
220  
221  
222  
223  
224  
225  
226  
227  
228  
229  
230  
231  
232  
233  
234  
235  
236  
237  
238  
239  
240  
241  
242  
243  
244  
245  
246  
247  
248  
249  
250  
251  
252  
253  
254  
255  
256  
257  
258  
259  
260  
261  
262  
263  
264  
265  
266  
267  
268  
269  
270  
271  
272  
273  
274  
275  
276  
277  
278  
279  
280  
281  
282  
283  
284  
285  
286  
287  
288  
289  
290  
291  
292  
293  
294  
295  
296  
297  
298  
299  
300  
301  
302  
303  
304  
305  
306  
307  
308  
309  
310  
311  
312  
313  
314  
315  
316  
317  
318  
319  
320  
321  
322  
323  
324  
325  
326  
327  
328  
329  
330  
331  
332  
333  
334  
335  
336  
337  
338  
339  
340  
341  
342  
343  
344  
345  
346  
347  
348  
349  
350  
351  
352  
353  
354  
355  
356  
357  
358  
359  
360  
361  
362  
363  
364  
365  
366  
367  
368  
369  
370  
371  
372  
373  
374  
375  
376  
377  
378  
379  
380  
381  
382  
383  
384  
385  
386  
387  
388  
389  
390  
391  
392  
393  
394  
395  
396  
397  
398  
399  
400  
401  
402  
403  
404  
405  
406  
407  
408  
409  
410  
411  
412  
413  
414  
415  
416  
417  
418  
419  
420  
421  
422  
423  
424  
425  
426  
427  
428  
429  
430  
431  
432  
433  
434  
435  
436  
437  
438  
439  
440  
441  
442  
443  
444  
445  
446  
447  
448  
449  
450  
451  
452  
453  
454  
455  
456  
457  
458  
459  
460  
461  
462  
463  
464  
465  
466  
467  
468  
469  
470  
471  
472  
473  
474  
475  
476  
477  
478  
479  
480  
481  
482  
483  
484  
485  
486  
487  
488  
489  
490  
491  
492  
493  
494  
495  
496  
497  
498  
499  
500  
501  
502  
503  
504  
505  
506  
507  
508  
509  
510  
511  
512  
513  
514  
515  
516  
517  
518  
519  
520  
521  
522  
523  
524  
525  
526  
527  
528  
529  
530  
531  
532  
533  
534  
535  
536  
537  
538  
539  
540  
541  
542  
543  
544  
545  
546  
547  
548  
549  
550  
551  
552  
553  
554  
555  
556  
557  
558  
559  
560  
561  
562  
563  
564  
565  
566  
567  
568  
569  
570  
571  
572  
573  
574  
575  
576  
577  
578  
579  
580  
581  
582  
583  
584  
585  
586  
587  
588  
589  
590  
591  
592  
593  
594  
595  
596  
597  
598  
599  
600  
601  
602  
603  
604  
605  
606  
607  
608  
609  
610  
611  
612  
613  
614  
615  
616  
617  
618  
619  
620  
621  
622  
623  
624  
625  
626  
627  
628  
629  
630  
631  
632  
633  
634  
635  
636  
637  
638  
639  
640  
641  
642  
643  
644  
645  
646  
647  
648  
649  
650  
651  
652  
653  
654  
655  
656  
657  
658  
659  
660  
661  
662  
663  
664  
665  
666  
667  
668  
669  
670  
671  
672  
673  
674  
675  
676  
677  
678  
679  
680  
681  
682  
683  
684  
685  
686  
687  
688  
689  
690  
691  
692  
693  
694  
695  
696  
697  
698  
699  
700  
701  
702  
703  
704  
705  
706  
707  
708  
709  
710  
711  
712  
713  
714  
715  
716  
717  
718  
719  
720  
721  
722  
723  
724  
725  
726  
727  
728  
729  
730  
731  
732  
733  
734  
735  
736  
737  
738  
739  
740  
741  
742  
743  
744  
745  
746  
747  
748  
749  
750  
751  
752  
753  
754  
755  
756  
757  
758  
759  
760  
761  
762  
763  
764  
765  
766  
767  
768  
769  
770  
771  
772  
773  
774  
775  
776  
777  
778  
779  
780  
781  
782  
783  
784  
785  
786  
787  
788  
789  
790  
791  
792  
793  
794  
795  
796  
797  
798  
799  
800  
801  
802  
803  
804  
805  
806  
807  
808  
809  
810  
811  
812  
813  
814  
815  
816  
817  
818  
819  
820  
821  
822  
823  
824  
825  
826  
827  
828  
829  
830  
831  
832  
833  
834  
835  
836  
837  
838  
839  
840  
841  
842  
843  
844  
845  
846  
847  
848  
849  
850  
851  
852  
853  
854  
855  
856  
857  
858  
859  
860  
861  
862  
863  
864  
865  
866  
867  
868  
869  
870  
871  
872  
873  
874  
875  
876  
877  
878  
879  
880  
881  
882  
883  
884  
885  
886  
887  
888  
889  
890  
891  
892  
893  
894  
895  
896  
897  
898  
899  
900  
901  
902  
903  
904  
905  
906  
907  
908  
909  
910  
911  
912  
913  
914  
915  
916  
917  
918  
919  
920  
921  
922  
923  
924  
925  
926  
927  
928  
929  
930  
931  
932  
933  
934  
935  
936  
937  
938  
939  
940  
941  
942  
943  
944  
945  
946  
947  
948  
949  
950  
951  
952  
953  
954  
955  
956  
957  
958  
959  
960  
961  
962  
963  
964  
965  
966  
967  
968  
969  
970  
971  
972  
973  
974  
975  
976  
977  
978  
979  
980  
981  
982  
983  
984  
985  
986  
987  
988  
989  
990  
991  
992  
993  
994  
995  
996  
997  
998  
999  
1000  
1001  
1002  
1003  
1004  
1005  
1006  
1007  
1008  
1009  
1010  
1011  
1012  
1013  
1014  
1015  
1016  
1017  
1018  
1019  
1020  
1021  
1022  
1023  
1024  
1025  
1026  
1027  
1028  
1029  
1030  
1031  
1032  
1033  
1034  
1035  
1036  
1037  
1038  
1039  
1040  
1041  
1042  
1043  
1044  
1045  
1046  
1047  
1048  
1049  
1050  
1051  
1052  
1053  
1054  
1055  
1056  
1057  
1058  
1059  
1060  
1061  
1062  
1063  
1064  
1065  
1066  
1067  
1068  
1069  
1070  
1071  
1072  
1073  
1074  
1075  
1076  
1077  
1078  
1079  
1080  
1081  
1082  
1083  
1084  
1085  
1086  
1087  
1088  
1089  
1090  
1091  
1092  
1093  
1094  
1095  
1096  
1097  
1098  
1099  
1100  
1101  
1102  
1103  
1104  
1105  
1106  
1107  
1108  
1109  
1110  
1111  
1112  
1113  
1114  
1115  
1116  
1117  
1118  
1119  
1120  
1121  
1122  
1123  
1124  
1125  
1126  
1127  
1128  
1129  
1130  
1131  
1132  
1133  
1134  
1135  
1136  
1137  
1138  
1139  
1140  
1141  
1142  
1143  
1144  
1145  
1146  
1147  
1148  
1149  
1150  
1151  
1152  
1153  
1154  
1155  
1156  
1157  
1158  
1159  
1160  
1161  
1162  
1163  
1164  
1165  
1166  
1167  
1168  
1169  
1170  
1171  
1172  
1173  
1174  
1175  
1176  
1177  
1178  
1179  
1180  
1181  
1182  
1183  
1184  
1185  
1186  
1187  
1188  
1189  
1190  
1191  
1192  
1193  
1194  
1195  
1196  
1197  
1198  
1199  
1200  
1201  
1202  
1203  
1204  
1205  
1206  
1207  
1208  
1209  
1210  
1211  
1212  
1213  
1214  
1215  
1216  
1217  
1218  
1219  
1220  
1221  
1222  
1223  
1224  
1225  
1226  
1227  
1228  
1229  
1230  
1231  
1232  
1233  
1234  
1235  
1236  
1237  
1238  
1239  
1240  
1241  
1242  
1243  
1244  
1245  
1246  
1247  
1248  
1249  
1250  
1251  
1252  
1253  
1254  
1255  
1256  
1257  
1258  
1259  
1260  
1261  
1262  
1263  
1264  
1265  
1266  
1267  
1268  
1269  
1270  
1271  
1272  
1273  
1274  
1275  
1276  
1277  
1278  
1279  
1280  
1281  
1282  
1283  
1284  
1285  
1286  
1287  
1288  
1289  
1290  
1291  
1292  
1293  
1294  
1295  
1296  
1297  
1298  
1299  
1300  
1301  
1302  
1303  
1304  
1305  
1306  
1307  
1308  
1309  
1310  
1311  
1312  
1313  
1314  
1315  
1316  
1317  
1318  
1319  
1320  
1321  
1322  
1323  
1324  
1325  
1326  
1327  
1328  
1329  
1330  
1331  
1332  
1333  
1334  
1335  
1336  
1337  
1338  
1339  
1340  
1341  
1342  
1343  
1344  
1345  
1346  
1347  
1348  
1349  
1350  
1351  
1352  
1353  
1354  
1355  
1356  
1357  
1358  
1359  
1360  
1361  
1362  
1363  
1364  
1365  
1366  
1367  
1368  
1369  
1370  
1371  
1372  
1373  
1374  
1375  
1376  
1377  
1378  
1379  
1380  
1381  
1382  
1383  
1384  
1385  
1386  
1387  
1388  
1389  
1390  
1391  
1392  
1393  
1394  
1395  
1396  
1397  
1398  
1399  
1400  
1401  
1402  
1403  
1404  
1405  
1406  
1407  
1408  
1409  
1410  
1411  
1412  
1413  
1414  
1415  
1416  
1417  
1418  
1419  
1420  
1421  
1422  
1423  
1424  
1425  
1426  
1427  
1428  
1429  
1430  
1431  
1432  
1433  
1434  
1435  
1436  
1437  
1438  
1439  
1440  
1441  
1442  
1443  
1444  
1445  
1446  
1447  
1448  
1449  
1450  
1451  
1452  
1453  
1454  
1455  
1456  
1457  
1458  
1459  
1460  
1461  
1462  
1463  
1464  
1465  
1466  
1467  
1468  
1469  
1470  
1471  
1472  
1473  
1474  
1475  
1476  
1477  
1478  
1479  
1480  
1481  
1482  
1483  
1484  
1485  
1486  
1487  
1488  
1489  
1490  
1491  
1492  
1493  
1494  
1495  
1496  
1497  
1498  
1499  
1500  
1501  
1502  
1503  
1504  
1505  
1506  
1507  
1508  
1509  
1510  
1511  
1512  
1513  
1514  
1515  
1516  
1517  
1518  
1519  
1520  
1521  
1522  
1523  
1524  
1525  
1526  
1527  
1528  
1529  
1530  
1531  
1532  
1533  
1534  
1535  
1536  
1537  
1538  
1539  
1540  
1541  
1542  
1543  
1544  
1545  
1546  
1547  
1548  
1549  
1550  
1551  
1552  
1553  
1554  
1555  
1556  
1557  
1558  
1559  
1560  
1561  
1562  
1563  
1564  
1565  
1566  
1567  
1568  
1569  
1570  
1571  
1572  
1573  
1574  
1575  
1576  
1577  
1578  
1579  
1580  
1581  
1582  
1583  
1584  
1585  
1586  
1587  
1588  
1589  
1590  
1591  
1592  
1593  
1594  
1595  
1596  
1597  
1598  
1599  
1600  
1601  
1602  
1603  
1604  
1605  
1606  
1607  
1608  
1609  
1610  
1611  
1612  
1613  
1614  
1615  
1616  
1617  
1618  
1619  
1620  
1621  
1622  
1623  
1624  
1625  
1626  
1627  
1628  
1629  
1630  
1631  
1632  
1633  
1634  
1635  
1636  
1637  
1638  
1639  
1640  
1641  
1642  
1643  
1644  
1645  
1646  
1647  
1648  
1649  
1650  
1651  
1652  
1653  
1654  
1655  
1656  
1657  
1658  
1659  
1660  
1661  
1662  
1663  
1664  
1665  
1666  
1667  
1668  
1669  
1670  
1671  
1672  
1673  
1674  
1675  
1676  
1677  
1678  
1679  
1680  
1681  
1682  
1683  
1684  
1685  
1686  
1687  
1688  
1689  
1690  
1691  
1692  
1693  
1694  
1695  
1696  
1697  
1698  
1699  
1700  
1701  
1702  
1703  
1704  
1705  
1706  
1707  
1708  
1709  
1710  
1711  
1712  
1713  
1714  
1715  
1716  
1717  
1718  
1719  
1720  
1721  
1722  
1723  
1724  
1725  
1726  
1727  
1728  
1729  
1730  
1731  
1732  
1733  
1734  
1735  
1736  
1737  
1738  
1739  
1740  
1741  
1742  
1743  
1744  
1745  
1746  
1747  
1748  
1749  
1750  
1751  
1752  
1753  
1754  
1755  
1756  
1757  
1758  
1759  
1760  
1761  
1762  
1763  
1764  
1765  
1766  
1767  
1768  
1769  
1770  
1771  
1772  
1773  
1774  
1775  
1776  
1777  
1778  
1779  
1780  
1781  
1782  
1783  
1784  
1785  
1786  
1787  
1788  
1789  
1790  
1791  
1792  
1793  
1794  
1795  
1796  
1797  
1798  
1799  
1800  
1801  
1802  
1803  
1804  
1805  
1806  
1807  
1808  
1809  
1810  
1811  
1812  
1813  
1814  
1815  
1816  
1817  
1818  
1819  
1820  
1821  
1822  
1823  
1824  
1825  
1826  
1827  
1828  
1829  
1830  
1831  
1832  
1833  
1834  
1835  
1836  
1837  
1838  
1839  
1840  
1841  
1842  
1843  
1844  
1845  
1846  
1847  
1848  
1849  
1850  
1851  
1852  
1853  
1854  
1855  
1856  
1857  
1858  
1859  
1860  
1861  
1862  
1863  
1864  
1865  
1866  
1867  
1868  
1869  
1870  
1871  
1872  
1873  
1874  
1875  
1876  
1877  
1878  
1879  
1880  
1881  
1882  
1883  
1884  
1885  
1886  
1887  
1888  
1889  
1890  
1891  
1892  
1893  
1894  
1895  
1896  
1897  
1898  
1899  
1900  
1901  
1902  
1903  
1904  
1905  
1906  
1907  
1908  
1909  
1910  
1911  
1912  
1913  
1914  
1915  
1916  
1917  
1918  
1919  
1920  
1921  
1922  
1923  
1924  
1925  
1926  
1927  
1928  
1929  
1930  
1931  
1932  
1933  
1934  
1935  
1936  
1937  
1938  
1939  
1940  
1941  
1942  
1943  
1944  
1945  
1946  
1947  
1948  
1949  
1950  
1951  
1952  
1953  
1954  
1955  
1956  
1957  
1958  
1959  
1960  
1961  
1962  
1963  
1964  
1965  
1966  
1967  
1968  
1969  
1970  
1971  
1972  
1973  
1974  
1975  
1976  
1977  
1978  
1979  
1980  
1981  
1982  
1983  
1984  
1985  
1986  
1987  
1988  
1989  
1990  
1991  
1992  
1993  
1994  
1995  
1996  
1997  
1998  
1999  
2000  
2001  
2002  
2003  
2004  
2005  
2006  
2007  
2008  
2009  
2010  
2011  
2012  
2013  
2014  
2015  
2016  
2017  
2018  
2019  
2020  
2021  
2022  
2023  
2024  
2025  
2026  
2027  
2028  
2029  
2030  
2031  
2032  
2033  
2034  
2035  
2036  
2037  
2038  
2039  
2040  
2041  
2042  
2043  
2044  
2045  
2046  
2047  
2048  
2049  
2050  
2051  
2052  
2053  
2054  
2055  
2056  
2057  
2058  
2059  
2060  
2061  
2062  
2063  
2064  
2065  
2066  
2067  
2068  
2069  
2070  
2071  
2072  
2073  
2074  
2075  
2076  
2077  
2078  
2079  
2080  
2081  
2082  
2083  
2084  
2085  
2086  
2087  
2088  
2089  
2090  
2091  
2092  
2093  
2094  
2095  
2096  
2097  
2098  
2099  
2100  
2101  
2102  
2103  
2104  
2105  
2106  
2107  
2108  
2109  
2110  
2111  
2112  
2113  
2114  
2115  
2116  
2117  
2118  
2119  
2120  
2121  
2122  
2123  
2124  
2125  
2126  
2127  
2128  
2129  
2130  
2131  
2132  
2133  
2134  
2135  
2136  
2137  
2138  
2139  
2140  
2141  
2142  
2143  
2144  
2145  
2146  
2147  
2148  
2149  
2150  
2151  
2152  
2153  
2154  
2155  
2156  
2157  
2158  
2159  
2160  
2161  
2162  
2163  
2164  
2165  
2166  
2167  
2168  
2169  
2170  
2171  
2172  
2173  
2174  
2175  
2176  
2177  
2178  
2179  
2180  
2181  
2182  
2183  
2184  
2185  
2186  
2187  
2188  
2189  
2190  
2191  
2192  
2193  
21

## ABSTRACT

DATABASE ACCESS TOOL

Embodiments of the invention alleviate problems relating to databases access,  
5 particularly when the database is very large and complex such as in the marketing  
domain. This domain is characterised by very large databases containing many  
Gigabytes of customer related information. Many different types of users can need to  
query a database and in large businesses. Different users may have different abilities  
or familiarity with database access. Embodiments of the present invention provide a  
10 database access tool which makes database access easier for users having different  
abilities by storing previous queries and reusing them in response to subsequent  
queries.

Figure (1)

15

Fig.1.








Fig.2.




3/5

Fig.3.




4/5

Fig.4.



410

Fig.6.



405

5/5

Fig.5.

Multi User Knowledge Capture Administrator

90: Top ten business for ISDN2 ▼

Free Text Description

Top ten business for ISDN2

Top 5

Search

Clear

Alter Case

Cancel

Meta Data

How Selected Query Time 00:00:00 Results Exist YES

Creator REG Results Ref TOPTENPROD Number 4

Date:-----

400

**RULE 63 (37 C.F.R. 1.63)**  
**DECLARATION AND POWER OF ATTORNEY**  
**FOR PATENT APPLICATION**

**IN THE UNITED STATES PATENT AND TRADEMARK OFFICE**

As a below named inventor, I hereby declare that my residence, post office address and citizenship are as stated below next to my name, and I believe I am the original, first and sole inventor (if only one name is listed below) or an original, first and joint inventor (if plural names are listed below) of the subject matter which is claimed and for which a patent is sought on the invention entitled: **DATABASE ACCESS TOOL** the specification of which (check applicable box(es)):

☐ is attached hereto.

☐ was filed on \_\_\_\_\_ as U.S. Application Serial No. \_\_\_\_\_

☒ I was filed as PCT international application No. PCT/ **GB99/01278** on **23 April 1999**

and (if applicable to U.S. or PCT application) was amended on \_\_\_\_\_

I hereby state that I have reviewed and understand the contents of the above identified specification, including the claims, as amended by any amendment referred to above. I acknowledge the duty to disclose information which is material to the examination of this application in accordance with 37 C.F.R. 1.56. I hereby claim foreign priority benefits under 35 U.S.C. 119/365 of any foreign application(s) for patent or inventor's certificate listed below and have also identified below any foreign application for patent or inventor's certificate having a filing date before that of the application on which priority is claimed or, if no priority is claimed, before the filing date of this application:

**Prior Foreign Application(s):**

Application Number	Country	Day/Month/Year Filed
<u><b>9808988.1</b></u>	<u><b>GB</b></u>	<u><b>27 April 1998</b></u>
<u><b>98307123.4</b></u>	<u><b>EP</b></u>	<u><b>04 September 1998</b></u>

I hereby claim the benefit under 35 U.S.C.119(e) of any United States provisional application(s) listed below.

Application Number	Day/Month/Year Filed

I hereby claim the benefit under 35 U.S.C. 120/365 of all prior United States and PCT international applications listed above or below and, insofar as the subject matter of each of the claims of this application is not disclosed in such prior applications in the manner provided by the first paragraph of 35 U.S.C. 112, I acknowledge the duty to disclose material information as defined in 37 C.F.R. 1.56 which occurred between the filing date of the prior applications and the national or PCT international filing date of this application:

**Prior U.S./PCT Application(s):**

Application Serial No.	Day/Month/Year Filed	Status: patented pending, abandoned
<u><b>PCT/GB99/01278</b></u>	<u><b>23 April 1999</b></u>	

I hereby declare that all statements made herein of my own knowledge are true and that statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code and that such willful false statements may jeopardize the validity of the application or any patent issued thereon. And I hereby appoint **NIXON & VANDERHYE P.C., 1100 North Glebe Road, 8th Floor, Arlington, VA 22201-4714, telephone number (703) 816 -4000 (to whom all communications are to be directed), and the following attorneys thereof (of the same address) individually and collectively my attorneys to prosecute this application and to transact all business in the Patent and Trademark Office connected therewith and with the resulting patent:** Arthur R Crawford, 24327; Larry S. Nixon, 25640; Robert A. Vanderhye, 27076; James T. Hosmer, 30184; Robert W. Faris, 31352; Richard G. Besha, 22770; Mark E. Nussbaum, 32248; Michael J. Keenan, 32106; Bryan H. Davidson, 30251; Stanley C. Spooner, 27393; Leonard C. Michard, 28009; Duane M. Byers, 33363; Paul J. Henon, 33626; Jeffry H. Nelson, 36481; John R. Lastova, 33143; H. Warren Burnam Jr., 29356; Thomas E. Byrne, 32205; Mary J. Wilson, 32955; J. Scott Davidson, 33489; Alan M. Kagen, 36178; William J. Griffith, 31260; Robert A. Molan, 29834.

1. Inventor's Signature: *Stephen Corley* Date: **4-6-99**  
 Inventor: **STEPHEN** **CORLEY**  
 (first) (last)  
 Residence: (city) **IPSWICH, SUFFOLK** (state/country) **GREAT BRITAIN**  
 Post Office Address: **7 BROWNS GROVE, KESGRAVE, IPSWICH, SUFFOLK**  
 (Zip code) **IP5 2GP**

2. Inventor's Signature: *Michael Fagan* Date: **4-6-99**  
 Inventor: **MICHAEL** **FAGAN**  
 (first) (last)  
 Residence: (city) **WOODBIDGE, SUFFOLK** (state/country) **GREAT BRITAIN**  
 Post Office Address: **2 LIME TREE FARM, LOWER HACHESTON, WOODBRIDGE, SUFFOLK**  
 (Zip code) **IP13 OPB**

3. Inventor's Signature: \_\_\_\_\_ Date: \_\_\_\_\_  
 Inventor: \_\_\_\_\_  
 (first) MI (last) (citizenship)  
 Residence: (city) \_\_\_\_\_ (state/country) \_\_\_\_\_  
 Post Office Address: \_\_\_\_\_  
 (Zip code) \_\_\_\_\_